

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2020

Page: 1/9

1 Identification

· Product identifier

· Trade name: BUG & TAR REMOVER

· Other means of identification: No other identifiers

· Recommended use and restriction on use

· Recommended use: Cleaning agent/ Cleaner

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Dicor Products, an Airxcel brand 2965 LaVanture Place Elkhart, IN 46514 (574)264-2699

Emergency telephone number:

ChemTel

(800)255-3924 (North America) 1 (813)248-0585 (International) (801)

2 Hazard(s) identification

· Classification of the substance or mixture

Eye Dam. 1 H318 Causes serious eye damage.

STOT RE 2 H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





GHS05 GHS08

· Signal word: Danger

· Hazard statements:

H318 Causes serious eye damage.

H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements:

P260 Do not breathe mist/vapors/spray.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2020

Trade name: BUG & TAR REMOVER

(Cont'd. of page 1)

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
64-02-8	tetrasodium ethylenediaminetetraacetate	<5%
	STOT RE 2, H373 Eye Dam. 1, H318	
	Acute Tox. 4, H302; Acute Tox. 4, H332	
68439-46-3	Alcohols, C9-11, ethoxylated	<5%
	💠 Eye Irrit. 2A, H319	
73138-81-5	Quaternary ammonium compounds, bis(hydroxyethyl)methyltallow alkyl,ethoxylated, methyl sulfates (salts)	<5%
	Eye Dam. 1, H318 Skin Irrit. 2, H315	
57-55-6	Propylene glycol	<5%

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Strong irritant with the danger of severe eye injury.

Gastric or intestinal disorders when ingested.

· Danger:

May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2020

Trade name: BUG & TAR REMOVER

(Cont'd. of page 2)

The product is not flammable.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Use personal protective equipment as required.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

· Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
- · Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Keep out of reach of children.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2020

Trade name: BUG & TAR REMOVER

(Cont'd. of page 3)

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

57-55-6 Propylene glycol

WEEL (USA) Long-term value: 10 mg/m³

EV (Canada) Long-term value: 155* 10** mg/m³, 50* ppm

*vapour and aerosol; **aerosol only

· Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

• Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:

Wear protective gloves to handle contents of damaged or leaking units.

Gloves are advised for repeated or prolonged contact.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protection may be required for spills.
- · Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

9 Physical and chemical properties Information on basic physical and chemical properties · Appearance: Form: Liquid Color: According to product specification · Odor: Characteristic · Odor threshold: Not determined. · pH-value: Not determined. · Melting point/Melting range: Not determined. · Boiling point/Boiling range: Not determined. · Flash point: The product is not flammable.

(Cont'd. on page 5)

Page: 5/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2020

Trade name: BUG & TAR REMOVER

		(Cont'd. of page
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Soluble.	
Partition coefficient (n-octanol/water)	: Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

Reacts with strong acids.

- · Conditions to avoid No relevant information available.
- Incompatible materials

Oxidizing agents.

Strong acids

Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2020

Trade name: BUG & TAR REMOVER

(Cont'd. of page 5)

- · Acute toxicity: Based on available data, the classification criteria are not met.
- \cdot LD/LC50 values that are relevant for classification:

64-02-8 tetrasodium ethylenediaminetetraacetate

Oral LD50 1700 mg/kg (rat)

- Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- On the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

Present in trace quantities.

75-07-0	acetaldehyde	2B
75-21-8	Ethylene oxide	1
123-91-1	1,4-dioxane	2B

· NTP (National Toxicology Program):

Present in trace quantities.

	75-07-0	acetaldehyde
Ì	75-21-8	Ethylene oxide
Ī	123-91-1	1,4-dioxane

OSHA-Ca (Occupational Safety & Health Administration):

Present in trace quantities.

75-21-8 Ethylene oxide

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure:

May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Other adverse effects No relevant information available.

Page: 7/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2020

Trade name: BUG & TAR REMOVER

(Cont'd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Transport hazard class(es)	
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Environmental hazards · Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

(Cont'd. on page 8)

Page: 8/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2020

Trade name: BUG & TAR REMOVER

All ingredients are listed or exempt.

(Cont'd. of page 7)

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Present in trace quantities.

75-07-0	acetaldehyde
	Ethylene oxide
123-91-1	1,4-dioxane

Chemicals known to cause developmental toxicity for females:

Present in trace quantities.

75-21-8 Ethylene oxide

Chemicals known to cause developmental toxicity for males:

Present in trace quantities.

75-21-8 Ethylene oxide

Chemicals known to cause developmental toxicity:

Present in trace quantities.

75-21-8 Ethylene oxide

EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

Present in trace quantities.

75-07-0	acetaldehyde	2B
75-21-8	Ethylene oxide	1
123-91-1	1,4-dioxane	2B

· Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/

(Cont'd. on page 9)

Page: 9/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2020

(Cont'd. of page 8)

Trade name: BUG & TAR REMOVER

overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com